Amendments to the Drawings:

The attached sheets of drawings includes changes to Figs. 6-10, 17-19, 21 and 23. These sheets, which includes Figs. 6-10, 17-19, 21 and 23, replaces the original sheets including Figs. 6-10, 17-19, 21 and 23.

In Figs. 6, 7, 17, 18, 21 and 23, in elements 13 and 20, please delete "PATCH" and insert --BATCH--.

In Fig. 6, in element 21, please delete "OSS" and insert --OS--.

In Fig. 8, add the label --YES-- outside of element 1022 above element 1030 and add the label --NO-- outside element 1022 above element 1023.

In Fig. 9, please delete both occurrences of "PATCH" and insert --BATCH--.

In Fig. 10, please delete "FIG. 10" from inside the table and insert --FIG. 10-- in the left hand corner of the page above the table. Also in Fig. 10, element 40003, please change the first occurrence of "????" to --LARGE CLASSIFICATION--, please change the second and third occurrences of "????" to --SMALL CLASSIFICATION--, please change the fourth occurrence of "????" to --PRICE--.

In Fig. 17, in element 21, please delete "OSS" and insert --OS--.

In Fig. 18, change "A" to --A' -- in element 102 and "B" to -- A-- in element 101.

In Fig. 19, change element "3002" to --2002--.

Attachment: Replacement Sheets
Annotated Sheets Showing Changes

OIPE
NOV 03 2003
PATENT & TRADEMARK OFFICE
JC54

FIG. 6



OIPE JC
NOV 0 3 2003
PATENT & TRADEMARK OFFICE



FIG. 7

FIG. 8



PATENT & TRADEMARK OFFICE
NOV 03 2003
OIPE
JC54

OIPE
NOV 03 2003
PATENT & TRADEMARK OFFICE
JC54

FIG. 9

BATCH PAGE
GENERATION DEFINITIONS 70

	ID.	TRIGGER TYPE	TRIGGERING CONDITIONS	BATCH PAGE GENERATION COMMAND	GENERATED PAGE NAME
71	1)	TIME	EVERY 6 AM	page TEMPLATE = c. html	c_g_.html
72	2)	DATA UPDATE	UPDATE ON PRODUCT A	page TEMPLATE = a. html & ITEM = 1000a	a_g_100a.html
73	3)	TEMPLATE UPDATE	a. html UPDATE	page TEMPLATE = a. html & ITEM = *	a_ g_*.html
	4)		.....		
			.....		

OIPE JC54
NOV 03 2003
PATENT & TRADEMARK OFFICE

FIG.10

4000A

```
<HTML>
<head> <title> Product Search Page <title> <head>                    40001
<BODY>
<!@EXEC INTERFACE=PDBManager=Get Anchor
PARAM=("STORE D PRODUCT D PRODUCT NAME MANUFACTURER PRICE MANUFACTURER ???? RETAIL SUGGESTED PRICE KEYWORD
      "$CONDITION", "KEYWORD", 0, 0, 1, 3)
RECORD=REC>
<CENTER>                                                                    40002
<B><FONT COLOR="#3333FE"><H1>PRODUCT SEARCH</H1></FONT></B>
<b>No OF SEARCHED ITEMS $COUNT </b><br>
<table border="5" cellpadding=" 3" cellspacing="0">
        <tr>      <td width =20%>
                  <h4><b>selected item</b></h4>
                  </td>
                  <td width=80% align="center">                                  40004
                  <h4><b>selecting candidates</b></h4>
                  <td>                                          40003
        </tr><tr>
                  <td width>.<b4><b>classification</b></h4> </td>
                  <td> | <!@EXEC INTERFACE=PDBManager METHOD=Get Anchor
                       PARAM=(CLASSIFICATION", "$CONDITION", "$KEYWORD", 1, "Large Classification", 0, 0, 1, 1>
                       RECORD=REC>
                       <!@REPEAT RECORD=REC>
                            <A herf="/cgi-bin/page?SHOP ID=$SHOP ID&TEMPLATE=mcsearchmain.html
                              &KEYWORD=<##ENCODE($KEYWORD)>&CONDITION=<##ENCODE($NCOND)>">
                            $VALUE</A>
                       <!/REPEAT>
                  </td>
                                                    40007   40006   40005
    </tr><tr>
                  <td width>.<h4><b>sub classificationi</b></h4> </td>
                  <td> | <!@EXEC INTERFACE=PDBManageer METHOD=GetAnchor
                       PARAM=("Small Classification", "CONDITION", "$KEYWORD", 1, "Small Classification", 0, 0, 1, 1)
                       RECORD=REC>
                       <!@REPEAT RECORD REC>
                            <A herf="/cgi-bin/page?SHOP ID=$SHOP ID&TEMPLATE=mcsearchmain.html
                             &KEYWORD=<##ENCODE($KEYWORD)>&CONDITION=<##ENCODE($NCOND)>">
                            $VALUE</A>
                       <!/REPEAT>
                  </td>
     </tr><tr>
                   <td><h4><b>Price(?)</b></h4>                                  </td>
                   <td> <!@EXEC INTERFACE=PDBManager METHOD=Get Anchor
                       PARAM=("PRICE", "$CONDITION", "$KEYWORD", 2, "PRICE", 0, 0, 1, 2>
                       RECORD=REC>
                       <!@REPEAT RECORD REC>
                            <A herf="/cgi-bin/page?SHOP ID=$SHOP ID&TEMPLATE=mcsearchmain.html
                              &KEYWORD=<##ENCODE($KEYWORD)>&CONDITION=<##ENCODE($NCOND)>">
                            $VALUE1 ~ $VALUE2</A>
                       <!/REPEAT>
                   </td>
     <tr>
</table>
</center>
</body>
</html>
```

FIG. 17



OIPE JC54 NOV 03 2003 PATENT & TRADEMARK OFFICE

FIG. 18



PATENT & TRADEMARK OFFICE
NOV 03 2003
JC54

OIPE JC54
NOV 0 3 2003
PATENT & TRADEMARK OFFICE

FIG. 19



FIG. 21



PATENT & TRADEMARK OFFICE
NOV 03 2003
JC54
OIPE

FIG. 23



PATENT & TRADEMARK OFFICE
NOV 03 2003
JC54

FIG. 6



PATENT & TRADEMARK OFFICE
NOV 03 2003
JC54
U.S.P.T.O.

FIG. 7

DOCKET NO.: HITACHI-0006
Serial No.: 09/516,699
Amdt. dated October 23, 2003
Response to Office Action of August 8, 2003
Annotated Sheet showing changes



OIPE JC54 NOV 03 2003 PATENT & TRADEMARK OFFICE

OIPE JC54
NOV 03 2003
PATENT & TRADEMARK OFFICE

FIG. 8



FIG. 9

BATCH PAGE GENERATION DEFINITIONS 70

ID.	TRIGGER TYPE	TRIGGERING CONDITIONS	BATCH PAGE GENERATION COMMAND	GENERATED PAGE NAME
1)	TIME	EVERY 6 AM	page TEMPLATE = c. html	c_g_.html
2)	DATA UPDATE	UPDATE ON PRODUCT A	page TEMPLATE = a. html & ITEM = 1000a	a_g_100a.html
3)	TEMPLATE UPDATE	a. html UPDATE	page TEMPLATE = a. html & ITEM = *	a_ g_*.html
4)		.....		
		.....		

71
72
73

OIPE JC54 NOV 03 2003 PATENT & TRADEMARK OFFICE

FIG. 10

OIPE
NOV 0 3 2003
PATENT & TRADEMARK OFFICE

4000A

```
<HTML>
<head> <title> Product Search Page <title> <head>                    40001
<BODY>

<!@EXEC INTERFACE=PDBManager=Get Anchor
PARAM=("STORE D PRODUCT D PRODUCT NAME MANUFACTURER PRICE MANUFACTURER ???? RETAIL SUGGESTED PRICE KEYWORD
       "$CONDITION", "KEYWORD", 0, 0, 1, 3)
RECORD=REC>

<CENTER>                                                                    40002
<B><FONT COLOR="#3333FE"><H1>PRODUCT SEARCH</H1></FONT></B>
<b>No OF SEARCHED ITEMS $COUNT </b><br>
<table border="5" cellpadding=" 3" cellspacing="0">
        <tr>      <td width =20%>
                  <h4><b>selected item</b></h4>
                  </td>
                  <td width=80% align="center">                          40004
                  <h4><b>selecting candidates</b></h4>
                  <td>                          LARGE
        </tr><tr>                               CLASSIFICATION 40003
                  <td width>.<b4><b>classification</b></h4> </td>
                  <td> | <!@EXEC INTERFACE=PDBManager METHOD=Get Anchor
                       PARAM=(CLASSIFICATION", "$CONDITION", "$KEYWORD", 1, "  ", 0, 0, 1, 1>
                       RECORD=REC>
                       <!@REPEAT RECORD=REC>
                            <A herf="/cgi-bin/page?SHOP ID=$SHOP ID&TEMPLATE=mcsearchmain.html
                              &KEYWORD=<##ENCODE($KEYWORD)>&CONDITION=<##ENCODE($NCOND)>">
                            $VALUE</A>
                       <!/REPEAT>
                  </td>                                  SMALL
    </tr><tr>                                            CLASSIFICATION 40007  40006  40005
                  <td width>.<h4><b>sub classificationi</b></h4> </td>
                  <td> | <!@EXEC INTERFACE=PDBManageer METHOD=GetAnchor
                       PARAM= ", "CONDITION", "$KEYWORD", 1, "  " 0, 0, 1, 1)
                       RECORD=REC>
                       <!@REPEAT RECORD REC>
                            <A herf="/cgi-bin/page?SHOP ID=$SHOP ID&TEMPLATE=mcsearchmain.html
                            &KEYWORD=<##ENCODE($KEYWORD)>&CONDITION=<##ENCODE($NCOND)>">
                            $VALUE</A>
                       <!/REPEAT>
                  </td>
    </tr><tr>                   PRICE
                  <td><h4><b> (3)</b></h4>                                  </td>
                  <td> <!@EXEC INTERFACE=PDBManager METHOD=Get Anchor
                       PARAM=("PRICE", "$CONDITION", "$KEYWORD", 2, "PRICE", 0, 0, 1, 2>
                       RECORD=REC>
                       <!@REPEAT RECORD REC>
                            <A herf="/cgi-bin/page?SHOP ID=$SHOP ID&TEMPLATE=mcsearchmain.html
                              &KEYWORD=<##ENCODE($KEYWORD)>&CONDITION=<##ENCODE($NCOND)>">
                            $VALUE1 ~ $VALUE2</A>
                       <!/REPEAT>
                  </td>
    <tr>
</table>
</center>
</body>
</html>
```

FIG. 17



OIPE JC54 NOV 03 2003 PATENT & TRADEMARK OFFICE

FIG. 18



PATENT & TRADEMARK OFFICE
NOV 03 2003

OIPE JC54
NOV 0 3 2003
PATENT & TRADEMARK

FIG. 19



FIG. 21



NOV 03 2003
PATENT & TRADEMARK

FIG. 23



PATENT & TRADEMARK OFFICE
NOV 03 2003
JC54